

INDEX MAPS.

T.2N R.3W 2<sup>nd</sup> Mer.

	192 218		192 218		192 218		192 218		191 217		191 217	
195	6	217	5	216	4	216	3	216	2	215	1	191
	217		211		211		214		214		215	
194	7	210	8	209	9	213	10	213	11	213	12	190
	210		210		209		211		212		215	
194	18	205	17	204	16	209	15	212	14	208	13	190
	206		204		204		206		207		208	
194	19	205	20	202	21	203	22	206	23	208	24	189
	205		201-202		202		203		203		207	
193	30	201	29	197	28	200	27	200	26	200	25	189
	196		196-198		197		198		199		199	
193	31	195	32	196	33	196	34	198	35	199	36	189
	188	(188)	188	(188)	187	(188)	187	(188)	187	(188)	187	

T.3N R.3W 2<sup>nd</sup> Mer.

	249	248	248	248	248	248	248	248	248	248	248	248
247	6	247	5	243	4	243	3	240	2	243	1	234
	246	237	237	237-239	239	240	240	240-242	242			
246	7	246	8	236	9	239	10	238	11	241	12	234
	245	246	236	235-237	238	240	241	241				
245	18	132	17	236	16	235	15	238	14	241	13	233
	231	231-232	232	232	233-235	229	233-234					
244	19	223	20	231	21	230	22	227	23	228	24	233
	224	224-225	231-232	230	228	229	228-229					
244	30	223	29	224	28	229	27	227	26	228	25	226
	222	224-225	224	225-227	225-227	226-227						
220	31	222	32	222	33	221	34	221	35	225	36	226
	220	220	219	219	219	219						

Meadow 249

The figures on the lines refer to the page.

Township N 2. N Range N 3. West of the 2<sup>nd</sup> Mer. Indiana  
 ch<sup>r</sup>. lky. S. Boundary.

West On the South Boundary of Sec. 36. T. N 2. R. 3. W 3. M. 2<sup>nd</sup> Mer.  
 80. 00 To a Brook 10 lks. wide; Course N. 20. E. Bottom Land.

110. 00 Set a post for the cor. to 1/4 Sec. from which a Mt. Oak 20. in.  
 diam. bears S. 57. W. 34. lks. dist. & a S. 10. "  
 " " " S. 25. E. 113. " "

50. 75 To a Brook 12 lks. wide. Course North.

50. 00 Intersected the N. & S. line;  
 This mile is good Soil of hill Land; Timber Oak. Beech &c.

West On the 2<sup>nd</sup> Mile S. Boundary of Sec. 35. T. 2. R. 3.

40. 00 Set a post for the cor. to 1/4 Sec. for Town 182. R. 3. North.  
 from which a Sugar 14 in. diam. bears S. 21. W. 28. lks. dist.  
 & a S. 14. " " " S. 33. E. 29. " "

79. 75 Intersected the N. & S. line; This mile is level good  
 Upland; Timber Oak. Beech & Poplar.

50. 00 Set a Post for the cor. to Sec. 34. & 35. T. N 2. R. 3. W.

West On the 3<sup>rd</sup> Mile S. Bound<sup>y</sup> of Sec. 34. T. N 2. R. 3. W.

13. 50 To a Brook 16. lks. wide; Course N.

28. 50 To S. 12. " " " N. 20. E.

110. 00 Set a Post for the cor. to 1/4 Sec. from which a Mt. Oak 16.  
 in. diam. bears S. 23. E. 25. lks. dist. & a S. 10.

" " " S. 73. W. 22. " "

79. 53 Intersected the N. & S. line.

50. 00 Set a Post for the cor. of Sec. 33. & 34. T. N 2. R. 3.  
 W. Land hilly. Milling Soil;

Timber. Oak. Beech &c. Nov. 27. 1804.

West On the 4<sup>th</sup> Mile S. Boundary of Sec. 33. T. 2. R. 3. W.

12. 00 To a Brook 7. lks. wide. Course N.

40. 00 Set a post for the cor. to 1/4 Sec. from which a  
 Mt. Oak 10. in. diam. bears N. 56. W. 6. lks. dist. & a  
 W. Ash 10. " " " S. 38. E. 21. " "

80. 00 Intersected the N. & South line & set the post at the  
 cor. of Sec. 32. & 33. T. N 1. R. 3. W.  
 High hilly Land; Good Soil; Timber Oak. Sugar. Beech &c.



T. N. 2. N. R. N. 3. M. 2nd. N. Ind.<sup>a</sup>

West On the 5<sup>th</sup> Mile S. Bound.<sup>y</sup> of Sec 32. T. 2. N. 3.  
 11. 00 Set a post for the Cor. to 1/4 Sec. from which a  
 Maple 12. in. diam. bears N. 14. W. 23. lbs. dist. 3/4  
 M. Oak 16. " " " S. 4. W. 14. " "  
 80. 00 Intersecting the N. & W. line. Set a Temp.<sup>y</sup> post for the  
 Cor. to Sec. 32. & 33. T. 1. N. R. N. 3. M.  
 Land on this side is hilly; meeting Oak, Oak & Beech

West On the 6<sup>th</sup> Mile S. Boundary of Sec. 31. T. 2. N. 3.  
 3. 00 Set a Small Giant Cucumber  
 38. 50 Do " " Run 4 lbs. wide Cucumber  
 40. 00 Set a post for the Cor. to 1/4 Sec. from which a  
 Beech 16. in. diam. bears N. 47. W. 9. lbs. dist. 3/4  
 S. 11. " " " S. 32. E. 7. " "  
 74. 48 Intersected the Range line 15. lbs. S. of the Post set  
 for the Cor. of Towns 1. & 2. Ranges 3. & 4. N.  
 Good Soil of hill Land; Timber, Oak Beech. Sugar. &c. &c.  
 Connected the line E. and set posts

Set a Post for the Cor. to Sec. 31. & 32. T. 2. N. R. N. 3. M.  
 from which a Sugar 10. in. diam. bears N. 33. W. 10. lbs. dist.  
 3/4 Beech 7. " " " S. 5. E. 11. " "

Set a Post for the Cor. to Sec. 32. & 33. T. 2. N. R. N. 3. M.  
 from which a M. Ash 7. in. diam. bears N. 10. E. 22. lbs. dist.  
 3/4 S. 12. " " " S. 34. W. 12. " "

Set a Post for the Cor. to Sec. 33. & 34. T. 2. N. R. N. 3. M.  
 from which a M. Oak 14. in. diam. bears N. 44. W. 4. lbs. dist.  
 3/4 Beech 6. " " " S. 71. E. 10. " "

Set a Post for the Cor. of Sec. 34. & 35. T. 2. N. R. N. 3. M.  
 from which a Beech 16. in. diam. bears N. 42. W. 42. lbs. dist.  
 3/4 S. 12. " " " S. 33. W. 18. " "

Set a Post for the Cor. of Sec. 35. & 36. T. 2. N. R. N. 3. M.

T. N. 2. N. R. N. 3. W. 2<sup>nd</sup> Mu. Ind.<sup>a</sup>

189

from which a Sugar 9 in. diam. bears N. 53. W. 27. lbs. dist.  
 & a B. Oak 30. " " " S. 53. E. 7 " "

East Boundary.

- North On the East Bound. of Sec. 36. T. N. 2. N. R. N. 3. W.
8. 00 To a Birch 30. lbs. wide; course N. 20. W.
8. 69 To a Sugar 8. in. diam. stands in the line.
15. 00 To Buck Bottom.
19. 75 To a S. 20. in. diam. stands in the line.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a  
 Birch 9. in. diam. bears S. 44. W. 16. lbs. dist. & a  
 S. 9. " " " N. 58. E. 31. " "
59. 42 To a W. Ash 11. in. diam. stands in the line
71. 07 To a Gum 24. " " " " " "
80. 00 Tell 21. lbs. S. of the Standen Post & Set a Post for the  
 cor. to Sec. 25. & 36. T. N. 2. N. R. N. 3. W. from which  
 a Birch 14. in. diam. bears S. 59. W. 21. lbs. dist. & a  
 S. 6. " " " N. 28. E. 4. " "
- This mile is Steep hills. Thin Soil, Timber Oak & Birch.

- North On the E. Boundary of Sec. 25. T. N. 2. N. R. N. 3. W.
6. 38 To a Sugar 24. in. diam. stands in the line
18. 00 To a Gum 16. lbs. wide; course W.
25. 30 To a Birch 10. in. diam. stands in the line.
40. 00 Set a Post for the cor. to 1/4 Sec. from which a B. Oak 18.  
 in. diam. bears N. 42. E. 10. lbs. dist. & a Sugar tree 10.  
 " " " S. 33. W. 8. " "
68. 68 To a Birch 11. in. diam. stands in the line
80. 00 Set a Post for the cor. to Sec. 24. & 25. T. N. 2. N. R. N. 3.  
 W. from which a Birch 18. in. diam. bears N. 10. W. 22. lbs. dist.  
 & a " " " S. 4. " " " S. 36. W. 3. " "
- This mile is Steep Rocky hills; inequalities of Soil.  
 Timber Oak, Birch &c. &c.

- North On the E. Boundary of Sec. 24. T. N. 2. N. R. N. 3. W.
3. 35 To a Poplar 38. in. diam. stands in the line.

T. M. 2. N. R. 3. M. 2<sup>nd</sup> Mer. Ind.

35. 00 Hill Lands, Perr. Hill.  
 38. 00 To a buck 200. lbs. wide. Course N. from G. E.  
 40. 00 In the above buck no Trees.  
 45. 00 Out of said buck on the N. side.  
 57. 76 To said buck. Course N. M. Bottom Land.  
 59. 34 To a Buck 17. in? diam? stands on the line.  
 80. 00 Set a Post for the cor. of Sec. 13. & 24. T. M. 2. N. R. 3. M. from which a Buck 16. in? diam? bears G. 16. E. 8. lbs. dist. 74. Jack. Oak 16. " " " G. 79. E. 22. " " This mile is poor. Soil Timber, Oak & Buck.

- North On the E. Boundary of Sec. 13. T. M. 2. N. R. 3. M. 2<sup>nd</sup> Mer.  
 12. 72 To a M. Oak 16. in? diam? stands in the line.  
 37. 00 To a Buck 6. lbs. wide; Course N.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck 17. in? diam? bears N. 5. M. 47. lbs. dist. 74. S. 19. " " " G. 54. M. 15. " "  
 53. 51 To a Buck 17. in? diam? stands in the line.  
 Lands not fit for cultivation; Steep & Stony.  
 78. 50 To a buck 40. lbs. wide. Course S. M.  
 80. 00 To the Post set for the cor. to Sec. 12. & 13. T. M. 2. N. R. 3. M. from which an Elm 14. in? diam? bears S. 14. E. 13. lbs. dist. 74. Buckeye 12. " " " N. 33. M. 34. " " Good Soil of Buck Bottom.

- North On the East Boundary of Sec. 12. T. M. 2. N. R. 3. M.  
 1. 50 To a buck 40. lbs. wide. Course S. E.  
 4. 00 To the same Course S. M. 40. lbs. wide  
 10. 00 To Bottom Lands.  
 24. 79 To a M. Oak 17. in? diam? stands in the line.  
 30. 92 To a Poplar 38. " " " " " "  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Buck 30. in? diam? bears N. 12. E. 21. lbs. dist. 74. S. 13. " " " " S. 60. M. 22. " "  
 75. 50 To a Buck 17. in? diam? stands in the line.  
 80. 00 Set a Post for the cor. of Sec. 1. & 12. T. M. 2. N. R. 3. M.

191

T. N. 2. N. W. 3. M. 2nd Mer. Ind.

from which a Buck 9. in. diam. bears S. 64. E. 12 lbs.  
 dist. 70. To 13. " " " N. 17. E. 6. lbs. dist.  
 steep hills declining E. Timber. Buck. &c. &c.

North On the E. Boundary of Sec. 1. T. N. 2. N. R. 3. M.

1. 58. To a W. Oak 16. in. diam. stands in the line

12. 50 To a Brook 10. lbs. wide. Course S. E.

20. 81 To a B. Walnut 22. in. diam. stands in the line,

40. 00 Get a post for the cor. to 1/4 Sec. from which a Poplar 10.  
 in. diam. bears N. 54. E. 25. lbs. dist. & a Hickory 16.

" " " S. 60. W. 16. " "

59. 30 To a Hickory 10. in. diam. stands in the line.

80. 00 Get a post for the cor. to Towns 2. & 3. Ranges 2. & 3. N. from  
 which a Buck 30. in. diam. bears S. 60. E. 24. lbs. dist.

To W. Oak 9. " " " S. 73. W. 6. " "

Land. Willy Soil midling; Timber. Oak. Hickory & Buck.

North Boundary.

West On the S. Boundary of Sec. 35. T. 3. N. R. 3. M.

2. 50 To a Brook 10. lbs. wide. Course S. W.

41. 00 Get a post for the cor. to 1/4 Sec. from which a Buck 20. in.  
 diam. bears N. 1. E. 15. lbs. dist. & a To 10. in. diam.

" S. 15. E. 10. " "

79. 70 Intersecting the N. & S. line,

80. 00 Get a post for the cor. of Sec. 35 & 36. T. 3. N. R. 3. M.  
 from which a Buck 14. in. diam. bears N. 25. E. 17. lbs.  
 dist. & a To 17. " " " S. 64. W. 18. " dist.

West On the 2nd Mile S. Boundary of Sec. 35. T. 3. N. R. 3. M.

35. 00 To a Brook 25. lbs. wide. Course S.

40. 00 Get a post for the cor. to 1/4 Sec. from which a Buck 16.  
 in. diam. bears S. 62. E. 14. lbs. dist. & an Elm 10.

" " " S. 14. W. 3. " "

65. 00 To a Brook 10. lbs. wide. Course S. E.

79. 00 To To 8. " " " N. 80. E.

80. 00 Get a post for the cor. to Sec. 34. & 35. T. 3. N. R. 3. M.



## T. T. 2. A. R. A. 3. M. 2nd Mer. Ind.

This mile is nothing soil of hill Land Buck Timber.

- West On the 3<sup>d</sup> Mile S. Boundary of the 34. T. 3. R. 5.  
 00. 33 Get a Post for the cor. of Sec. 2. & 3. T. 3. A. R. A. 3. M.  
 40. 00 Get a Post for the cor. to 1/4 Sec. from which a Gum 17  
 in. diam. bears S. 71. E. 2. M. dist. 1/2 a Buck 12.  
 " " " N. 71. M. 4. " "  
 80. 00 Get a Post for the cor. to Sec. 33. & 34. T. 3. A. R. 3. M.  
 from which a Maple 7 in. diam. bears S. 67. E. 33. M. dist.  
 1/2 a Buck 12. " " " S. 63. M. 22. " "  
 Land level. Timber. Buck, Oak, Gum, &c. Dec. 8<sup>th</sup> 1864.

- West On the 4<sup>th</sup> Mile S. Boundary of the 33. T. 3. R. 5.  
 00. 50 To a Post in T. 1. 2.  
 35. 50 To a Buck 7. M. wide. Course N. M.  
 110. 00 Get a Post for the cor. to 1/4 from which a Buck 10.  
 in. diam. bears N. 72. E. 7. M. dist. 1/2 a S. 12.  
 " " " S. 28. E. 31. " "  
 74. 00 To a Run 8. M. wide. Course North.  
 80. 00 Get a Post for the cor. to Sec. 32. & 33. T. 3. A. R. A.  
 3. M. from which a Sugar 10 in. diam. bears N. 82. W.  
 4. M. dist. 1/2 a Buck 7. " " " S. 64. E. 22.  
 " " " Land hilly. Soil mostly good.  
 Timber. Buck. Oak. Sugar. Sugar.

- West On the 6<sup>th</sup> Mile South Boundary of the 32.  
 00. 21 To the post set for the cor. to Sec. 4 & 5. T. 2. A. R. 3. M.  
 35. 00 To a Buck 12. M. wide. Course N. 70. E.  
 40. 00 Get a Post for the cor. to 1/4 Sec. from which a Buck  
 12 in. diam. bears S. 31. - 37. M. dist. 1/2 a Maple.  
 10. " " " N. 41. E. 17. " "  
 80. 00 Get a Post for the cor. to Sec. 31. & 32. T. 3. A. R. 3. M.  
 from which a Maple 10 in. diam. bears N. 17. M. 1 M.  
 dist. 1/2 a B. Oak 18. " " " S. 17. E. 40. M. dist.

West On the S. Boundary of the 31. On the 6<sup>th</sup> Mile,

## T. N. 2. S. R. N. 3. W. 2nd Mer. Ind.

1. 08. To the Post in the T. 2. S. R. N. 3. W.  
 16. 17 Set a Post for the Sec. to 1/4 from which a Beech  
 12. in? diam? bears N. 85. E. 31. lbs. dist. 1/4 Sec.  
 9. " " " " 1/4 68. N. 23. " "  
 80. 50 Intersect the N. 1/4 line 5. lbs. N. of the Post for  
 the Sec. to Towns 2. & 3. Ranges 3. & 4.  
 The Soil & Timber on this mile is the same as on the last.

## West Boundary

North On the East. Boundary of Sec. 36. T. 2. S. R. N. 4. W.

1. 54 To a Beech 14 in? diam? stands in the line.  
 25. 34 To a W. Oak 10. " " " " " "  
 40. 11 Set a Post for the Sec. to 1/4 Sec. from which a Beech 14. in?  
 diam? bears N. 82. W. 22 lbs. Sugar 16. in? diam? bears  
 N. 83. E. 22. lbs. dist.  
 47. 34 To a W. Ash 14 in? diam? stands in the line.  
 62. 54 To a Gum 16. " " " " " "  
 67. 93 To a Beech 10. " " " " " "  
 75. 54 To a W. Oak 20. " " " " " "  
 80. 00 Set a Post for the Sec. to Sec. 25. & 36. T. 2. S. R. N.  
 4. W. from which a Beech 5. in? diam? bears N. 27. W.  
 13. lbs. dist. 1/4 Sec. 7. " " " " 1/4 48. E. 10. lbs.  
 dist. This mile is first rate Upland & this well.  
 Timber, Oak. Beech. Sugar. Ash. &c. &c.

North On the E. Boundary of Sec. 25. T. 2. S. R. N. 3. W.

22. 00 Good Hill Land to Bottom.  
 25. 72 To a Beech 10. in? diam? stands in the line.  
 30. 00 To a Beech 18. lbs. wide. Course. W.  
 38. 50 To a Poplar 36. in? diam? stands in the line.  
 40. 00 Set a Post for the Sec. to 1/4 Sec. from which a Beech 9.  
 in? diam? bears N. 23. W. 29. lbs. dist. 1/4 Sec. 13.  
 " " " " 1/4 14. E. 23. " "  
 55. 00 To a Beech 20. lbs. wide. Course. W. Low Beech Bottom.  
 63. 50 To a W. Oak 16. in? diam? stands in the line.  
 80. 00 Set a Post for the Sec. to Sec. 24. & 25. T. 2. S. R. N. 4. W.



10. 35 To a Poplar 30. in? diam? stands in the line.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Sugar. 13.  
 in? diam? bears South 36. lbs. dist? & a Do. 10.  
 " " " N. 38. E. 17. " "  
 40. 75 To a Birch 12. lbs. wide. Course. West. line.  
 63. 08 To a Sugar tree 18. in? diam? stands in the line.  
 78. 22 To a Spruce 17. " " " " " "  
 80. 00 Set a Post for the cor. to Sec? 1. & 12. T. N. 2. N. R. 4. M.  
 4. M. from which a Birch 24. in? diam? bears N. 57.  
 M. 21. lbs. dist? & a Do. 12. " " " 45. E. 9.  
 lbs. dist? This mile is Birch & Spruce. Good Soil.

- North On the East Boundary of Sec. 1. T. N. 2. N. R. 4. M.  
 14. 22 To a Birch 14. in? diam? stands in the line  
 16. 30 To a Birch 20. lbs. wide. Course N. M.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a Maple 12.  
 in? diam? bears N. 12. M. 19. lbs. dist? & a M. Oak. 16.  
 " " " N. 28. M. 23. " "  
 46. 15 To a B. Oak 16. in? diam? stands in the line  
 71. 67 To a M. Oak 16. " " " " " "  
 80. 00 Set a Post for the cor. of Towns 2. & 3. Ranges 3. & 4.  
 from which a M. Oak 30. in? diam? bears S. 60. E. 97.  
 lbs. dist? & a Do. 12. " " " N. 67. M. 14.  
 " " ; Land? Heavy Timber. Oak Birch &c.

### Subdivisions

- North Between Sec? 31. & 32. T. N. 2. N. R. 4. S. M. 2. <sup>nd</sup> Mer.  
 6. 00 To a Small Grain Course S. 10. M.  
 To a Birch 10. in? diam? stands in the line.  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a M. Oak  
 22 in? diam? bears N. 15. E. 47. lbs. dist? & a Birch  
 15. " " " South 25. lbs. dist?  
 54. 09 To a Birch 12. in? diam? stands in the line.  
 63. 57 To a Do. 7. " " " " " "  
 80. 00 Set a Post for the cor. to Sec? 29. 30. 31. & 32. T. N. 2. N. R.  
 4. S. M. from which Birch 12. in? diam? bears S. 10. E.



## T. N 2. N. To. N 3. N. 2nd N. Ind.

34. Mts. dist. & a Do. 14. in. diam. bears N. 42. E. 22 Mts. dist.  
The Land in this mile is hilly; Soil middling; Oak & Beech

- West Between Secs 30. & 31. T. N 2. N. To. N 3. N.  
40. 00 Set a post for the cor. to 1/4 Sec. from which a  
B. Oak 17 in. diam. bears N. 66. E. & Mts. dist. & a  
Dogwood 4. " " " N. 77. W. 15. " "  
65. 00 To a Small Run across N.  
79. 96 Intersected the Range line & cut the post set for the cor.  
of Secs 25. & 36. T. 2. N. To. N 3. N.  
This mile is good Soil of hill Land; Timber. Beech. Oak. &c.

- East On a Random line Between Secs 29. & 32. T. 2. N. 3.  
35. 00 To a Run 10. Mts. wide across N. Side hill Land & Beech & Oak.  
40. 00 Set a Sump<sup>g</sup> post for the cor. to 1/4 Sec.  
50. 00 To a Beech Bottom.  
80 00 To the Sump<sup>g</sup> post Cor. of Secs 29. 28. 32. & 33.  
Thin Soil of hill Land. Timber. Oak Beech. &c. &c.

- North Between Secs 33. & 34. T. N 2. N. To. N 3. N.  
23. 96 To a Beech 9 in. diam. stands in the line  
29. 44 To a Do 12. " " " " "  
34. 50 To a Beech 15. Mts. wide. across N. 15. E.  
40. 00 Set a post for the cor. to 1/4 Sec. from which a Sugar  
16. in. diam. bears S. 81. E. 42 Mts. dist. & a W. Oak  
18. " " " N. 81. W. 2. " "  
47. 98 To a Beech 7 in. diam. stands in the line  
65. 60 To a Poplar 24 " " " " "  
74 50 To a Beech 30. Mts. wide; across N. W.  
80. 00 Set a post for the cor. to Secs 27. 28. 33. & 34. T. 2. N.  
To. 3. N. from which a Beech 16 in. diam. bears - 39.  
N. 2. Mts. dist. & a Do 12. " " " South 16.  
" " ; This mile is a good Soil of hill Land;  
Timber. Oak. Beech Sugar. &c. Nov 28. 1804.

- North Between Secs 32. & 33. T. N 2. N. To. N 3. N.



T. N. 2. S. R. N. 3. W. 2nd Mer. Ind.<sup>a</sup>

Get a post for the cor. to 14 Sec. at area dist. on True line  
from which a Birch 14 in. diam. bears N. 80. W. 43. lbs.  
dist. 84 Sec. 10 in. diam. bears N. 83. E. 11. lbs. dist.

On a True line Between Sec. 29. & 32. T. N. 2. S. R. N. 3. W.  
Get a Post for the cor. to 14 Sec. from which at the area dist.  
on True line, a W. Oak 12 in. diam. bears S. 63. E. 11. lbs. dist.  
A Buck 7 " " " West 12. lbs. dist.  
Nov. 29<sup>th</sup> 1864.

East On a Standard line Between Sec. 27. & 34. T. 2. R. 3.  
40. 00 Get a Temp. post for the cor. to 14 Sec.  
44. 00 To a W. Oak. — in. diam. stands in the line. Hilby Land.  
50. 00 Intersect the N. & S. line at a post set for the cor. to Sec.  
26. 27. 34. & 35. Town N. 2. North Range N. 3. West.

On True line Between Sec. 27. & 34. T. N. 2. S. R. N. 3. W.  
Get a post for the cor. to 14 Sec. from which a  
W. Oak 22 in. diam. bears N. 58. E. 25. lbs. dist. & a  
Sec. 14. " " " S. 41. E. 12. " "

North Between Sec. 34. & 35. T. N. 2. S. R. N. 3. W.  
5. 10 To a Buck 26 in. diam. stands in the line  
9. 34 To a W. Oak 16. " " " " " "  
40. 00 Get a Post for the cor. to 14 Sec. from which a W. Oak  
12 in. diam. bears N. 34. W. 18. lbs. dist. & a Sugar  
4. " " " S. 24. W. 11. " "  
40. 88 To a Buck 10 in. diam. stands in the line  
50. 00 Fall 3. lbs. E. of the Temp. post. Get a post for the  
cor. of Sec. 26. 27. 34. & 35. T. N. 2. S. R. N. 3. W. from  
which a Buck 13 in. diam. bears N. 40. W. 23. lbs. dist.  
& a Sec. 12. " " " S. 40. E. 25. " "  
This mile is good hill Land. Timber Buck. Oak. &c. &c.

East On a Standard line Between Sec. 26. & 35. T. N. 2. S. R.  
N. 3. W. of the 2nd Mer.

T. N. 2. N. W. 3. N. 2nd Mer. Ind<sup>a</sup>.

40. 00 Set a Tumpy. post for the cor. to 1/4 Sec.  
 55. 00 To a Buck 12 lbs. wide. course N. Gil & timber as a bore.  
 50. 00 Intersected the N. & G. line at the post set for the cor. of  
 Sec? 25. 26. 35. & 36. The land on this side is poor  
 & hilly; Timber. Oak. Buck. &c.

On True line Between Sec? 26. & 35. T. N. 2. N. R. 3. N.  
 Set a post for the cor. to 1/4 Sec. at the aver. dist on True line  
 from which a Buck 13. in? diam? bears N. 25. W. 49. lbs. dist.  
 1/2 a Squared 6. " " " 1/2 79. M. 6. lbs. dist.

- North Between Sec? 35. & 36. T. N. 2. N. R. 3. N. 2nd Mer.  
 10. 15 To a M. Oak 22. in? diam? stands in the line.  
 36. 16 To a Poplar 20. " " " " " "  
 40. 00 Set a Post for the cor. to 1/4 Sec. from which a M. Oak.  
 18. in? diam? bears N. 64. W. 8. lbs. dist? & a " " "  
 13. " " " 1/2 7. E. 20. " " "  
 112. 78 To a Buck 20. in? diam? stands in the line.  
 63. 64 To a Poplar 42 " " " " " "  
 80. 00 Tell 7. links. S. & 1/2 East of the Post. & set a post for the  
 cor. to Sec? 25. 26. 35. & 36. T. N. 2. N. R. 3. N. from  
 which a B. Oak 32. in? diam? bears N. 35. W. 36 lbs. dist.  
 1/2 a Buck 16. " " " 1/2 84. E. 43. " "  
 Land on this side is hilly. Timber. Beech &c. Oak.

- East On a Bandem line Between Sec? 25. & 36. T. N. 2. N. R. 3. N.  
 40. 00 Set a Tumpy. post for the cor. to 1/4 Sec.  
 43. 00 Land hilly To the Bottom,  
 51. 00 To a buck 50. lbs. wide; course N.  
 54. 00 Goes Bottom Land.  
 50. 00 Intersected the N. & G. line at the post set for the cor. of  
 Sec? 25. & 36. The land on this side is steep poor & hilly.  
 Timber. Buck. Oak. &c.

On True line Between Sec? 25. & 36. T. N. 2. N. R. 3. N.  
 Set a post for the cor. to 1/4 Sec. at the aver. dist on True line,



T. A. 2. A. B. A. 3. M. 2nd Mer. Ind. a.

from which a Buck 12. in. diam. bears S. 20. W. 25. lbs.  
dist. 9 a S. 8. a a a S. 19. W. 27. lbs. dist.

- North Belman Gr. 25. & 26. T. A. 2. A. B. A. 3. M.  
17. 45 To a Buck 22. in. diam. stands in the line.  
28. 63 To a M. Oak 22. a a a a a  
40. 60 Get a post for the cor. to 1/4 Sec. from which a Buck  
14. in. diam. bears S. 27. E. 11. lbs. dist. 9 a S.  
14. a a a South 21. a a  
77. 89 To a Sugar 14. in. diam. stands in the line  
80. 00 Get a post for the cor. of Sec. 23. 24. 25. & 26. T. A. 2.  
A. B. A. 3. M. from which a Buck 14. in. diam. bears  
S. 54. W. 21. lbs. dist. 9 a S. 16. a a a  
S. 78. E. 13. a a Good hill Land. Oak. Buck. Timber.

- North Belman Gr. 26. & 27. T. A. 2. A. B. A. 3. M.  
2. 98 To a Buck 20. in. diam. stands in the line.  
25. 54 To a S. 16. a a a a a  
40. 00 Get a post for the cor. to 1/4 Sec. from which a  
Buck 9. in. diam. bears S. 36. W. 14. lbs. dist. 9 a  
S. 9. a a a S. 48. W. 3. a a  
57. 50 To a Brook 20. lbs. wide course M.  
58. 00 To a Brook 200. a a a M.  
74. 00 a a 200. a a a S. 20. E  
80. 00 Get a Post for the cor. to Sec. 22. 23. 26. & 27. from  
which a Buck 30. in. diam. bears S. 19. W. 19. lbs. dist.  
9 a Water Buck 7. a a a S. 19. E. 17. a a  
The last 15. chains of this mill is good Bottom Land.  
Timber. Buck. Sugar. &c. &c.

- North Belman Gr. 27. & 28. T. A. 2. A. B. A. 3. M.  
8. 96 To a Buck 12. in. diam. stands in the line  
19. 00 Land hilly to Bottom.  
37. 50 To a Brook 40. lbs. wide. course E.  
39. 00 Low Bottom good for meadow  
40. 00 Get a post for the cor. to 1/4 Sec. from which.

## T. N. 2. N. R. N. 3. M. 2nd Mer. Ind.

- W. Oak 24 in. diam. bears G 31. M. 13. lbs. dist. Ja.  
 To 12. in. North 39. lbs. dist.  
 113. 54 To a Buck 20 lbs. wide; course M. Hilky Gang; Buck. Oak. 4.  
 51. 74 To a Buck 20 in. diam. stands in the line.  
 64. 00 Bottom Land. Buck. Timber;  
 65. 00 To a Buck 24 in. diam. stands in the line.  
 80. 00 Get a post for the line to Che. 21. 22. 27. & 28. T. N. 2. N. R.  
 N. 3. M. from which a Buck 10 in. diam. bears N. W. E. 9.  
 lbs. dist. Ja. 11. in. bears G 67. M. 6. lbs. dist. —  
 This mile is Buck Hill Gang. Soil of a muddling quality.

- West On a Bandern line Between Che. 20. & 29. T. N. 2. N. R.  
 N. 3. M. 2nd Mer.  
 18. 50 To a Buck. — lbs. wide. comes from the N. E.  
 23. 00 Leave the Hill Creek, course N. M.  
 110. 00 Get a Jump? post for the line to 1/4 Che.  
 60. 00 To Steep hills. Midland Soil.  
 64. 50 To a Buck 20 lbs. wide, course S.  
 76. 50 Good Bottom Gang; Timber. Oak. Sugar. Maple Buck 4.  
 80. 00 Intersected the N. & S. line. 12. lbs. N. of the post set for  
 the line to Che. 19. 20. 29. & 30. — The Gang on this  
 mile is Hilky & Meney. Timber. Buck. Sugar. Oak. 4.

- \* North Between Che. 29. & 30. T. N. 2. N. R. N. 3. M.  
 11. 78 To a Sugar 16 in. diam. stands in the line.  
 19. 00 Steep hill Land.  
 23. 00 To a Buck 20 lbs. wide. course M.  
 32. 37 To a B. Oak 26 in. diam. stands in the line.  
 40. 00 Get a post for the line to 1/4 Che. from which a Red Oak  
 19 in. diam. bears N. 26. M. 7. lbs. dist. Ja. Sugar  
 7. in. — G. 50. E. 13. —  
 43. 25 To a M. Ash 10 in. diam. stands in the line.  
 45. 00 Good Bottom Land;  
 53. 67 To a Buck 11 in. diam. stands in the line.  
 80. 00 Get a post for the line to Che. 19. 20. 29. & 30. T. N. 2. N.  
 N. 3. M. from which a M. Oak 17 in. diam. bears

## T. N. 2. N. R. N. 3. M. 2nd Mer. Ind.

N. 21. M. 22. M. dist. 1/4 Sugar 7. in. diam. bears S. 10.  
M. 9. M. dist.; Land of Hilary. Get midding  
Timber. Oak. Sugar. Beech. &c. &c.

- North Between Sec. 20. & 21. T. N. 2. N. R. N. 3. M.  
25. 00 To a Sugar 10. in. diam.; Smalltown course S. M.  
40. 00 Get a post for the bar to 1/4 Sec. from which a  
Beech 20. in. diam. bears N. 43. E. 8. M. dist. 1/4  
S. 14. " " " S. 60. M. 40. " "  
47. 20 To a Sugar 10. in. diam. stands in the line.  
65. 98 To a brush 200. lbs. wide. course (M. Beech hill Lane)  
Get midding.  
80. 00 Get a post for the bar to Sec. 16. 17. 20. & 21. T. N. 2. N. R.  
N. 3. M. from which an Elm 16. in. diam. bears S. 55.  
M. 33. M. dist. 1/4 S. 18. " " " S. 24.  
M. 36. " " ; Low Bottom Land; Timber. Elm. Sugar. & Beech.

- East Between Sec. 21. & 23. T. N. 2. N. R. N. 3. M. 2nd Mer.  
40. 00 Get a Survey post for the bar to 1/4 Sec.  
53. 00 To a brush 200. lbs. wide. course N. 20. E. Hill Lane  
Get midding.  
75. 00 To Low Bottom Land  
80. 00 Intersecting the N. & S. line 10. lbs. N. of the post set  
for the bar to Sec. 21. 22. 27. & 28. ~ This mile is  
giving Hill Lane. Beech. & Timber. Dec. 1<sup>st</sup> 1804.

- West On True line Between Sec. 20. & 21. T. N. 2. N. R. N. 3. M.  
Get a post for the bar to 1/4 Sec. at the area. dist. on  
True line. from which a Sugar 10. in. diam. bears  
S. 31. E. 12. M. dist. 1/4 S. 8. in. diam. bears N. 37. M. 16. M. dist.

- West On True line Between Sec. 21. & 28. T. N. 2. N. R. N. 3. M.  
Get a post for the bar to 1/4 Sec. at area. dist. on True line  
from which a M. Oak 44. in. diam. bears N. 22. E. 7. M.  
dist. 1/4 S. 13. " " " S. 55. M. 17. M. dist.





T. N. 2. N. R. N. 3. M. Ind<sup>a</sup>

28. in? diam? bears S. 67. N. 6. M. 6. M. 6. dist. 1/4 Buck  
8. u u u S. 38. E. 17. u u

West On a Random line Between Che? 21. & 16. T. 2. N. 3. M.  
10. 00 Hilley Land. To Bottom.  
24. 00 To a Buck 50. M. wide. Course S.  
26. 00 To good Bottom Land.  
40. 00 Set a Temp<sup>l</sup> post for the Cor. to 1/4 Che.  
62. 00 To Buck Hilley Land.  
74. 00 To a Buck 20. M. wide, Course S.  
80. 00 Intersected the N. & S. line 30. M. S. of the post set  
for the Cor. to Che? 16. 17. 20. & 21. This mile is Low  
Bottom Land. Timber. Buck. Edm. Ash. &c. &c.

On same line Between Che? 16. & 21. T. 2. N. 3. M.  
Set a post for the Cor. to 1/4 Che. at the area. dist. on true  
line, from which a Buck 9. in? diam? bears S. 31. E. 31.  
M. dist. & a S. 9. in? diam? bears N. 41. M. 23. M. dist.

North Between Che? 16. & 17. T. N. 2. N. R. N. 3. M. Ind<sup>a</sup>.  
10. 00 To Bottom Land.  
11. 09 To a Buck 9. in? diam? stands in the line.  
24. 88 To a S. 17. u u u u u u  
40. 00 Set a post for the Cor. to 1/4 Che. from which a  
Buck 14. in? diam? bears N. 11. E. 33. M. dist. & a  
S. 8. u u u S. 5. E. 12. u u  
43. 00 To a Buck 20. M. wide, Course S. 10. E.  
63. 90 To a Buck 14. in? diam? stands in the line.  
80. 00 Set a post for the Cor. to Che? 8. 9. 16. & 17. T. N. 2. N.  
R. N. 3. M. from which a Buck 12. in? diam? bears  
S. 44. M. 12. M. dist. & a S. 10. in? diam? bears N. 14. E. 8. M. dist.  
This mile is hilly Broken Land. Timber. Oak. Buck

West On a Random line Between Che? 17. & 20. T. 2. N. 3. M.  
40. 00 Set a Temp<sup>l</sup> post for the Cor. to 1/4 Che.  
75. 00 Good hill Land to Bottom.

80.00 Intersected the N. Y. C. line at the post set for the  
 Ber. to Sec? 17. 18. 19. & 20. Bottom Lanes.  
 Timber. Oak. Buck. Sugar. &c. &c.

On True line Between Sec? 17. & 20. T. A. 2. A. R. A. 3. M.  
 Get a post for the Ber. to 1/4 Sec. at the aver. dist. on True  
 line from which a Buck 12. in? diam? bears S. 83. W.  
 14. Mts. dist? & a S. 9. in? diam? bears S. 77. E. 18. Mts. dist?  
 Monday Dec. 3. quit for the Day.

West Between Sec? 19. & 30. T. A. 2. A. R. A. 3. M. 2nd Mer.  
 40.00 Get a post for the Ber. to 1/4 Sec. from which a Buck  
 10. in? diam? bears S. 78. W. 20. Mts. dist? & a Sugar  
 9. " " " S. 68. E. 3. " "  
 46.00 To a Brook 20. Mts. wide house S.  
 77.50 To a S. 12. " " " S.  
 79.97 Intersected the Range line at the post set for the  
 Ber. to Sec? 24. & 25. T. A. 2. A. R. A. 4. M. 2nd Mer.  
 This mile. inequalities of Soil. Timber Sugar Oak. & Buck

North Between Sec? 19. & 20. T. A. 2. A. R. A. 3. M.  
 4.21 To a Sugar tree 12. in? diam? stands in the line  
 19.03 To a Spruce Oak. 28. " " " " " "  
 40.00 Get a post for the Ber. to 1/4 Sec. from which a  
 Buck 10. in? diam? bears N. 3. E. 14. Mts. dist? & a  
 S. 9. " " " N. 67. E. 3. " "  
 41.50 To a Brook 20. Mts. wide; house S. M.  
 59.83 To a M. Oak 14. in? diam? stands in the line.  
 80.00 Tell 19. links East of the Pandem post. & set a post for  
 the Ber. to Sec? 17. 18. 19. & 20. from which an Elm 14.  
 in? diam? bears S. 21. W. 5. Mts. dist? & a Sugar tree 9.  
 " " " N. 87. E. 15. " " On this mile  
 the Land is hilly. Soil Milling. Timber Oak & Sugar tree.

North Between Sec? 17. & 18. T. A. 2. A. R. A. 3. M. 2nd Mer.  
 10.36 To a Sugar 10. in? diam? stands in the line.

## T. N. 2. N. R. N. 3. W. 2nd Mer Inda

14. 50 To a M. Oak 17 in. diam. stands in the line.  
 40. 00 Set a post for the cor. to  $\frac{1}{4}$  Che. from which a Buck  
 15. in. diam. bears N. 88. E. 29. lks. dist. & a Do.  
 10. " " " N. 69. W. 46. " "  
 57. 63 To a B. Oak 16. in. diam. stands in the line  
 64. 31 To a M. Oak 12. " " " " " "  
 80. 00 Set a post for the cor. to Che? 7. 8. 17. & 18. T. N. 2. N.  
 R. N. 3. W. from which a Buck 12. in. diam. bears  
 S. 76. E. 35. lks. dist. & a M. Oak 8. " " "  
 N. 63. W. 36. " " This land on this side is hilly,  
 Middleing Soil. Timber. Oak. Beech & Sugar tree.

- West Between Che? 18. & 19. T. N. 2. N. R. N. 3. W.  
 40. 00 Set a post for the cor. to  $\frac{1}{4}$  Che. from which a Span.  
 Oak 28. in. diam. bears South 10. lks. dist. & a Poplar  
 30. " " " N. 87. E. 64. " "  
 79. 86 Intersected the N. & S. line at the post set for the cor.  
 of Che? 13. & 24. T. N. 2. N. R. N. 4. W. 2nd Mer.  
 This mile is good hill land; Timber. Oak. Beech &c.

- East On a meander line Between Che? 15. & 22. T. 2. R. 3.  
 26. 00 To a baruk 102 lks. wide. S. of the line.  
 40. 00 Set a Temp<sup>l</sup> post for the cor. to  $\frac{1}{4}$  Che.  
 44. 00 To a Brook 7. lks. wide; course S.  
 80. 00 Intersected the N. & S. line at the post set for the  
 cor. to Che? 14. 15. 22. & 23. ~ This mile is good  
 Soil of hill land. very steep. Stony; &c. Beech Sugar.

On June line Between Che? 15. & 22. T. 2. R. 3. W.  
 Set a post for the cor. to  $\frac{1}{4}$  Che. at the aver. dist. on  
 June line, from which a Buck 20. in. diam. bears  
 S. 7. E. 25. lks. dist. & a Sugar 10. in. diam. bears S. 45. W.  
 20. lks. dist. ' Che. 4<sup>th</sup> quit for the day.

- North Between Che? 22. & 23. T. N. 2. N. R. N. 3. W. 2nd Mer  
 3. 00 To a baruk 201. lks. wide. course N.

T. A. 2. A. B. A. 3. W. Inda Mrs. Inda.

23. 00 Low Buck Bottom.  
40. 00 Get a post for the bar. to  $\frac{1}{4}$  Sec. from which a M. Oak  
16. in. diam. bears N. 4. E. 29. W. dist. of a Buck  
8. " " " of 19. M. 13. " "  
49. 45 To a Sugar 24. in. diam. stands in the line.  
57. 49 To a Hickory 16. " " " " " "  
50. 00 Fall 34. W. E. of the Roundum post. Get a post for the  
bar. of Cho. 14. 15. 22. & 23. T. N. 2. N. R. N. 3. M. from  
which a Buck 13. in. diam. bears S. 60. M. 35. W. dist.  
of a Sugar. 14. " " " N. 58. E. 37. " "  
Sho's Tail of hill James; Timber. Buck Oak. & Sugar.

East On a Random line Between Dec. 14. & 23. T. 2. R. 3. M.

40. or Set a Trap for pest for the loc. at 7/4 Sec.  
44. or To Brook & Mrs. wife. Course S.  
59. or " " " " " G. Woodhill Lane. Buck. H.  
Sugar. Y Oak. Timber  
80. or Intersected the N. & S. line at the post set further loc.  
of Sec? 13. 14. 23. 24. The Land on this mile is  
good Bottom. Timber. Buck Sugar Oak. &c.

On True line Between Secs. 14 & 23 T. 2. N. R. 3. W.

Get a post for the den to  $\frac{1}{4}$  Cr. at once. dist. on True line  
from where a Beech 16. in! diam! bears N. 14. E. 25. Mts.  
dist. 8u 8u 9. in! diam! bears N. 25. E. 25. Mts. dist.

East On a Pound down line Between Gr. 24 & 25. T. 2. N. 3.

9. 11 To a buck 20 lbs. wide course. N.M.  
26. 00 Good Bottom Land.  
40. 00 Set a Trap<sup>9</sup> post for the line to 1/4 Sec.  
64. 70 To a buck 20 lbs. wide. Course of Buck Hill Land.  
80. 00 Intersect the Range line 8 lbs. S. of the Post.  
Good Bottom Land Timber Buck Sugar Oak. &c. &c.

On the June line Between Dec. 24 & 25. T. 2. N. E. 3. M.

Get a post for the lev. to  $\frac{1}{4}$  Sec. at aver. dist. on True line



T. N. 2. N. P. N. 3. W. Ind. Mer. (Ind. a)

from which a Beech 18 in? diam. bears N. 6. W. dist.  
 & a L. 16 in? diam. bears N. 45. E. 18. W. dist.

North Between Sec. 23. & 24. T. N. 2. N. P. N. 3. W. Ind. Mer.  
 5. 88 To a M. Oak 40. in? diam. stands in the line  
 14. 20 To a Beech 20. W. side. Course E. 70. W.  
 20. 00 Bottom Land; Beech Timber To Swamp. Offset around the pond.  
 40. 00 1/4 Sec. post in the pond. no tree.  
 46. 50 On top of the said pond.  
 54. 12 To a Gum 20. in? diam. stands in the line.  
 80. 00 Set a post for the cor. to Sec. 13. 14. 23. & 24. T. N. 2. N. P. N. 3. W. from which a Beech 17 in? diam. bears S. 23. E. 33. W. dist. & a L. 18. " "  
 " N. 46. W. 24 " " ; On this mile, the Land is hilly; Soil not very good. Timber Oak. Beech &

West On a Roundum line Between Sec. 13. & 24.  
 24. 00 To a Beech 50. W. side course E.  
 40. 00 Get a Swamp? post for the cor. to 1/4 Sec.  
 80. 20 Intersecting the N. & S. line 6. W. S. of the post set for the cor. to Sec. 13. & 24. The Land on this mile is hilly; Soil poor. Timber Beech & Oak.

On the True line Between Sec. 13. & 24. T. N. 2. N. P. N. 3. W.  
 Get a post for the cor. to 1/4 Sec. at the even. dist. on True line from which a Sugar 10. in? diam. bears S. 35. W. 33. W. dist. & a L. 14. bears S. 57. E. 37. 1/2 W. dist.

North Between Sec. 13. & 14. T. N. 2. N. P. N. 3. W. Ind. Mer.  
 40. 00 Get a post for the cor. to 1/4 Sec. from which a Beech 12 in? diam. bears N. 46. W. 26. W. dist. & a L. 20. " " S. 23. E. 24. " "  
 50. 00 To a Hickory 16 in? diam. stands in the line  
 72. 83 To a M. Oak 40. " " " " " "  
 80. 00 Get a post for the cor. of Sec. 11. 12. 13. & 14. T. N. 2. N. P. N. 3. W. from which a M. Oak 18 in? diam. bears

T. No 2. N. Co. No 3. M. 2<sup>nd</sup> Mer. Ind.

S. 7<sup>th</sup> E. 6. lks. dist. Ya Jo 14 in. diam. bears N 82. M. 23 lks. dist.  
 The land on this side is hilly; The Soil midding  
 Timber. Oak & Buck.

- 
- North Between Sec. 15. & 16. T. No 2. N. Co. No 3. M. 2<sup>nd</sup> Mer.  
 12. 95 To a Buck 14 in. diam. stands in the line  
 31. 16 To a Sugar 10. " " " " " " " " " " " "  
 40. 00 Get a Post for the cor. to  $\frac{1}{4}$  Sec. from which a Sugar 10. in.  
 diam. bears N. 35. E. 16. lks. dist. Ya Buck 10. " "  
 " " S. 20. E. 15. " " "  
 43. 50 To a Buck 60 lks. wide. Course S. 20. M. Good hill Land.  
 48. 35 To a M. Ash 26. in. diam. stands in the line.  
 59. 23 To an Elm 16. " " " " " " " " " "  
 70. 00 Bottom Land. Good Soil.  
 80. 00 Get a Post for the cor. to Sec. 9. 10. 15. & 16. T. No 2. N.  
 Co. No 3. M. from which a Poplar 22. in. diam. bears S.  
 55. E. 29. lks. dist. Ya Buck 11. in. diam. bears S. 57.  
 M. 33. lks. dist. This mile is Buck depland.
- 

- West On a Rounder line Between Sec. 9. & 16. T. No 2. N. Co. No 3.  
 40. 00 Get a Temp<sup>ly</sup> Post for the cor. to  $\frac{1}{4}$  Sec.  
 50. 00 Midding Soil of Buck hill Land.  
 80. 06 Intersect of the N. & S. line 12. lks. N. of the Post, set  
 for the cor. to Sec. 8. 9. 16. & 17. This mile is  
 poor stony Land; Steep hills. Oak & Buck. timber.
- 

On a True line Between Sec. 9. & 16. T. No 2. N. Co. No 3. M.  
 Get a Post for the cor. to  $\frac{1}{4}$  Sec. at true dist. on True line  
 from which a Buck 14. in. diam. bears S. 60 M. 20.  
 lks. dist. Ya Jo 10. " " " " " N. 58. E. 26. lks. dist.

---

- North Between Sec. 8. & 9. T. No 2. N. Co. No 3. M. 2<sup>nd</sup> Mer.  
 28. 57 To a M. Oak 18. in. diam. stands in the line.  
 33. 22 To a " " 17. " " " " " " " " " "  
 40. 00 Get a Post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Buck 10. in. diam. bears N. 16. M. 22 lks. dist.

T. N 2. N. R. N 3. N. 2<sup>nd</sup> Mer Indiana

53. 21 To a M. Oak 30. in. diam. stands in the line.  
 71. 64 To a M. Ash 17. " " " " " "  
 80. 00 Set a post for the cor. to Sec. 4, 5, 8 & 9. T. N 2. N.  
 R. N 3. N. from which a Sugar tree 10 in. diam. bears  
 N 42. E. 28. lbs. dist. To Sec 9. " " " "  
 N. 80. W. 33. " " On this mile the land is hilly.  
 Inequalities of Soil. Timber. Oak. Beech. &c.

- West On a Random line Between Sec. 8. & 17. T. 2. N. R. 3. N.  
 5. 00 To a Run 5. lbs. wide. course South  
 30. 00 To a Run 5. " " " " " " S. E.  
 40. 00 Set a Temp.<sup>ly</sup> post for the cor. to 1/4 Sec.  
 79. 55 Intersected the N. & E. line at the post set for the cor.  
 of Sec. 7. 8. 17. & 18. Meeting Soil of hill land  
 Timber. Oak. Sugar. Beech. &c. &c.

- On True line Between Sec. 8. & 17. T. 2. N. R. 3. N.  
 Set a post for the cor. to 1/4 Sec. at the area. dist. on  
 True line from which a Beech 11 in. diam. bears  
 N. 78. E. 38. lbs. dist. To Sec 8. in. diam. bears N. 68. W. 3. lbs. dist.  
 West Between Sec. 7. & 18. T. N 2. N. R. N 3. N.  
 140. 00 Set a post for the cor. to 1/4 Sec. from which a  
 B. Oak 12 in. diam. bears N. 73. E. 10. lbs. dist. To  
 Sec. 18. " " " " " " N. 21. E. 10. " "  
 79. 80 Intersected the Range line 20. lbs. N. of the post  
 in Range 4 & set a post for the cor. of Sec. 7. & 18.  
 T. N 2. N. R. N 3. N. from which a Dogwood 6  
 in. diam. bears N. 40. W. 3. lbs. dist. To M. Oak 9.  
 " " " " " " N. 60. E. 8. " "  
 This mile is high, dividing land. Meeting Soil  
 Timber Oak. Hickory. &c. &c.

- North Between Sec. 7. & 8. T. N 2. N. R. N 3. N. 2<sup>nd</sup> Mer  
 28. 95 To a M. Oak 13 in. diam. stands in the line.

T. N. 2. N. R. N. 3. M. 2<sup>nd</sup>. M. (Ind<sup>o</sup>)

40. 00 Set a post for the loc. to  $\frac{1}{4}$  Sec. from which a Mr. Oak  
30. in. diam. bears S. 7. E. 16. lbs. dist. & a Poplar  
13 " " " N. 76. W. 23. " "
48. 90 To a Mr. Oak 20. in. diam. stands in the line.
60. 21 To a Poplar 24. " " " " " "
60. 00 Set a Post for the loc. to Sec. 5. 6. 7. & 8. T. N. 2. N. R.  
N. 3. M. from which a B. Oak 30 in. diam. bears N. 15.  
W. 48. lbs. dist. & a Mr. Oak 18. " " " S. 11.  
W. 45. " " ; This mile is steep hills. Midling Soil.  
Timber. Oak. & Hickory.

- East Between Sec. 5. & 8. T. N. 2. N. R. N. 3. M. On a Random
40. 00 Set a Temp<sup>o</sup> post for the loc. to  $\frac{1}{4}$  Sec.
61. 00 To a Buck 14 lbs. wide. Course South
79. 80 Intersect the N. & S. line at 17. lbs. N. of the post. set  
for the loc. to Sec. 4. 5. 8. & 9. The Land on this  
mile is a good soil of hill Land, Timber. Buck Sugar &c.

On the True line Between Sec. 5. & 8. T. N. 2. N. R. N. 3. M.  
Set a Post for the loc. to  $\frac{1}{4}$  Sec. at the area. dist. on True  
line from which a Sugar 10. in. diam. bears N. 35.  
E. 16. lbs. dist. & a Do. 10. " " " S. 35.  
W. 16. " " Sec. 5<sup>th</sup> 1804. Suit. for the day.

- East On a Random line Between Sec. 4. & 9. T. N. 2. N. R. N. 3. M.
40. 00 Set a Temp<sup>o</sup> post for the loc. to  $\frac{1}{4}$  Sec.
50. 00 Intersect the N. & S. line at the Post set for the loc.  
of Sec. 3. 4. 9. & 10. This mile is steep hills.  
The Soil mostly poor & stony; Timber. Oak. Buck &c.

On the True line Between Sec. 4. & 9. T. N. 2. N. R. N. 3. M.  
Set a Post for the loc. to  $\frac{1}{4}$  Sec. at the area. dist. on True  
line, from which a Sugar 7. in. diam. bears S. 2. E. 14.  
lbs. dist. & a Do. 9. in. diam. bears N. 38. W. 2. lbs. dist.

- East On a Random line Between Sec. 10. & 15. T. 2. N. R. N. 3. M.



## T. N. 2. N. R. N. 3. M. 2nd Mer. Ind.

15. 00 To a Beech 16. lbs. wide. Course S. Hilly Land.  
 20. 00 To a Do 40. " " " S.  
 22. 50 To the Same " " " " N. M.  
 26. 00 To the Same " " " " S. M. Bottom Land.  
 40. 00 Set a Temp<sup>l</sup> post for the Cor. to 1/4 Sec.  
 66. 00 To a Run 6. lbs. wide. Course North.  
 80. 00 Intersecting the N. & S. line at the Post set for the Cor.  
 to Sec. 10. 11. 14. & 15.; This mile is Steep hills.  
 Midling Soil, Beech Timber.

On the True line Between Sec. 10. & 15. T. N. 2. N. R. 3. M.  
 Set a post for the Cor. to 1/4 Sec. at the area-dist. on True  
 line from which a Sugar 7. in. diam. bears S. 76. E. 5.  
 lbs. dist. & a Beech 20. in. diam. bears N. 83. W. 19. lbs. dist.  
 Sec. 6. 1804. Quit for the day.

- North Between Sec. 14. & 15. T. N. 2. N. R. 3. M. 2nd Mer.  
 25. 69 To a M. Ash 20. in. diam. stands in the line.  
 40. 00 Set a post for the Cor. to 1/4 Sec. from which a  
 Beech 22. in. diam. bears N. 60. W. 23. lbs. dist. & a  
 Hickory 10. " " " S. 75. E. 22. " "  
 This 1/2 mile is level, good Soil of hill Land.  
 80. 00 Tell 19. lbs. E. & 19. N. of the Random post, & set a  
 Post for the Cor. to Sec. 10. 11. 14. & 15. T. N. 2. N. R. 3. M.  
 from which a Sugar 12. in. diam. bears S. 35. E. 21. lbs.  
 dist. & a Do 10. " " " N. 69. W. 30. lbs. dist.  
 This mile is hilly Land; Soil not very good; Oak & Beech

- East On a Random line Between Sec. 11. & 14. T. N. 2. N. R. 3. M.  
 10. 00 Set a Temp<sup>l</sup> post for the Cor. to 1/4 Sec.  
 80. 02 Intersecting the N. & S. line 2. lbs. N. of the post set for the  
 Cor. to Sec. 11. 12. 13. & 14. T. N. 2. N. R. 3. M.  
 This mile is steep hills, inequalities of Soil;  
 Timber Oak - Beech. Sugar. Hickory &c. &c.

On the True line Between Sec. 11. & 14. T. N. 2. N. R. 3. M.

T. No 2. N. Po. No 3. M. Ind. Mer. (Ind. a)

Set a post for the loc. to 1/4 Sec. at the area. dist. on true line from which a Hickory 20. in. diam. bears S. 44. E. 25. lbs. dist. & a Beech 24. in. diam. bears N. 37. W. 15. lbs. dist.

- North Between Sec. 11. & 12. T. No 2. N. Po. No 3. M. Ind. Mer.  
 19. 10 To a Poplar. 38. in. diam. stands in the line.  
 25. 60 To a Beech 6. lbs. wide. course S. W.  
 28. 72 To a Beech 14. in. diam. stands in the line.  
 110. 00 Set a Post for the loc. to 1/4 Sec. from which a  
 Beech 10. in. diam. bears N. 60. E. 9. lbs. dist. & a  
 S. 18. " " " S. 60. W. 13. " "  
 50. 39 To a Gum 20. in. diam. stands in the line.  
 80. 00 Set a post for the loc. to Sec. 1. 2. 11. & 12. T. No 2. N.  
 Po. No 3. M. from which a Beech 30. in. diam.  
 bears N. 41. W. 16. lbs. dist. & a S. 10. " "  
 " S. 19. E. 3. " " Shup hills. Soil & Timber  
 the same as on the last mile.

- North Between Sec. 10. & 11. T. No 2. N. Po. No 3. M.  
 5. 06 To a Sugar 10. in. diam. stands in the line.  
 15. 75 To a Beech 14. lbs. wide; course W.  
 27. 10 To a Beech 14. in. diam. stands in the line.  
 110. 00 Set a Post for the loc. to 1/4 Sec. from which a Beech  
 10. in. diam. bears S. 36. W. 24. lbs. dist. & an Elm  
 10 " " " N. 20. E. 25. " "  
 62. 00 To a Creek 30. lbs. wide, course S. W. Good Soil of  
 Hill Land. Tynler, Oak. Poplar. &c.  
 65. 00 To a Creek 30. lbs. wide; course S. E.  
 70. 00 To the same " " " " S. W. Bottom Land.  
 80. 00 Set a Post for the loc. of Sec. 2. 3. 10. & 11. T. No 2.  
 N. Po. No 3. M. from which a Beech 6. in. diam.  
 bears N. 19. W. 11. lbs. dist. & a S. 3. " "  
 " S. 11. W. 7. " " This mile is good  
 Soil of hill Land; Timber, Oak, Beech, Sugar, &c.

North Between Sec. 9. & 10. T. No 2. N. Po. No 3. M.



T. N. 2. N. R. N. 3. M. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

Set a post for the loc. to  $\frac{1}{4}$  Sec. at the aver. dist. on  
True line. from which a Buck 16. in. diam. bears  
N. 33. W. 8. lbs. dist. 9. a 3. a a a  
N. 09. E. 26. a a

North Between Sec. 1. & 2. T. N. 2. N. R. N. 3. M.  
3. 50 To a Birch 7. lbs. wide. Course W.  
15. 06 To a Poplar. 36. in. diam. stands in the line.  
46. 00 Set a Post for the loc. to  $\frac{1}{4}$  Sec. from which a  
Buck 10. in. diam. bears N. 32 W. 17. lbs. dist. 9. a  
S. 9. a a a S. 68. W. 20. a a  
58. 21 To a Hickory 16. in. diam. stands in the line.  
80. 00 Set a <sup>simple</sup> post for the loc. to Sec. 1. & 2. T. N. 2. N. R. N. 3.  
80. 09 Set a Post for the loc. to Sec. 1 & 2. from which a  
Buck 14 in. diam. bears N. 36. W. 29. lbs. dist. 9. a  
S. 14. a a a S. 56. E. 23. a a  
Land on this side high & hilly. Timber. Buck. Oak. &c.

East On a Random line Between Sec. 12 & 13. T. N. 2. N. R. N. 3. M.  
40. 00 Set a Simple post for the loc. to  $\frac{1}{4}$  Sec.  
74. 00 Land hilly to the Bottom.  
79. 70 Intersecting the Range line 10. lbs. N. of the post.  
Cross Bottom Land. Timber. Oak. Buck. &c.

On True line Between Sec. 12. & 13. T. N. 2. N. R. N. 3. M.  
Set a post for the loc. to  $\frac{1}{4}$  Sec. at the aver. dist. on True  
line from which a Buck 15. in. diam. bears S. 79. E. 15.  
lbs. dist. 9. a Ironwood 7. in. diam. bears S. 47 W. 29. lbs. dist.

East Between Sec. 1. & 12. T. N. 2. N. R. N. 3. M. 2<sup>nd</sup> Mer.  
40. 00 Set a Simple post for the loc. to  $\frac{1}{4}$  Sec.  
79. 80 Intersecting the Range line at a Post. loc. of Sec. 1. & 12.  
Land on this side is hilly; Inequalities of Soil.  
Timber. Oak. Buck. &c. &c.

On True line Between Sec. 1. & 12. T. N. 2. N. R. N. 3. M.



## T. N. 2. N. Co. N. 3. W. 2nd Mer. Ind.

Set a Post for the Sec. to  $\frac{1}{4}$  Sec. at the aver. dist. in  
True line from which a Poplar 20. in. diam. bears  
S. 57. W. 7. lbs. dist.  $\frac{1}{2}$  a Dogwood 8. " " "  
N. 81. E. 43. " " "

North Between Sec. 2. & 3. T. N. 2. N. Co. N. 3. W. 2nd Mer.  
12. 67 To a W. Oak 16. in. diam. stands in the line.  
40. 00 Set a Post for the Sec. to  $\frac{1}{4}$  Sec. from which a  
Buck 13. in. diam. bears S. 41. W. 18. lbs. dist.  $\frac{1}{2}$  a  
Do 12. " " " N. 84. E. 20. " " "  
52. 89 To a Buck 14. in. diam. stands in the line  
50. 00 Set a Post for the Sec. to Sec. 2. & 3. Temp.  
50. 65 Set a Post for the Sec. of Sec. 2. & 3. T. N. 2. N. Co. N. 3.  
W. from which a Buck 16. in. diam. bears S. 75.  
W. 43. lbs. dist.  $\frac{1}{2}$  a Sugar 10. " " " S. 28.  
E. 18. lbs. dist. ~ Mulling Soil of hill Lanes,  
Timber. Oak. Buck. Ash. 6. Dec. 7. 1804.

North Between Sec. 3. & 4. T. N. 2. N. Co. N. 3. W. 2nd Mer.  
15. 03 To a Buck 14. in. diam. stands in the line  
37. 27 To a Poplar 11. " " " " " "  
40. 00 Set a Post for the Sec. to  $\frac{1}{4}$  Sec. from which a  
Sugar 11. in. diam. bears S. 26. E. 15. lbs. dist.  $\frac{1}{2}$  a  
Buck 16. " " " N. 11. E. 37. " " "  
63. 22 To a Buck 10. in. diam. stands in the line  
80. 00 Set a Bandem Post.  
79. 96 Set a Post for the Sec. of Sec. 3. & 4. T. N. 2. N. Co. N. 3. W.  
from which a Buck 10. in. diam. bears N. 70. E. 12.  
lbs. dist.  $\frac{1}{2}$  a Do 14. in. diam. bears S. 43. W. 19. lbs. dist.

North Between Sec. 4. & 5. T. N. 2. N. Co. N. 3. W.  
12. 51 To a Beech 14. in. diam. stands in the line  
31. 81 To a Do 10. " " " " " "  
40. 00 Set a Post for the Sec. to  $\frac{1}{4}$  Sec. from which a  
W. Oak 10. in. diam. bears N. 85. W. 34 lbs. dist.  $\frac{1}{2}$  a  
Do 16. " " " N. 58. E. 43. " " "

## T. N 2. N. R. N 3. M. 2nd Mer. (Ind 2)

50. 00 Set a Post for the cor. of Sec. 4 & 5. T. N 2. N. R. 3. M.  
 50. 25 Set a Post for the cor. to Sec. 4 & 5. T. N 2. N. R. 3. M.  
 from which a Sugar 8. in? diam? bears N. 36. M. 13. lbs.  
 dist. & a Sec 9. in? diam? bears. S. 33. M. 11. lbs. dist.  
 Land, hilly: Inequality of Soil. Timber Oak & Birch

- West Between Sec. 6 & 7. T. N 2. N. R. N 3. M. 2nd Mer.  
 40. 00 Set a Post for the cor. to 44 Sec. from which a  
 Logwood 5. in? diam? bears N. 27. E. 12. lbs. dist. & a  
 Sec. 3. " " " " S. 58. M. 12. " "  
 49. 00 To a Brook 10. lbs. miles. N. M.  
 79. 90 Intersecting the N. & S. line at the post set for the cor.  
 of Sec. 6 & 7. N. & 12. R. 4. M. On this side the  
 Land is hilly & 2nd rate. Timber Oak & Birch.

- North Between Sec. 5 & 6. T. N 2. N. R. N 3. M. 2nd Mer.  
 11. 60 To a B. Oak 13. in? diam? stands in the line  
 32. 27 To a M. Oak M. " " " " " "  
 40. 00 Set a Post for the cor. to 44 Sec. from which a  
 M. Oak 18. in? diam? bears N. 71. E. 24. lbs. dist. & a  
 Sec. 11. " " " " S. 35. M. 27. " "  
 58. 22 To a Blumut Oak 14 in? diam? stands in the line  
 80. 00 Set a Rounder Post. Soil & Timber the same as before.  
 80. 25 Set a Post for the cor. of Sec. 5 & 6. T. N 2. N. R. 3. M.  
 from which a B. Oak 20. in? diam? bears S. 48. E. 5. lbs.  
 dist. & a M. Ash 11. in? diam? bears N. 77. 80. 22. lbs. dist.

Set a Post for the cor. to 44 Sec. from which in the  
 North Boundary of Sec. 1. T. N 2. R. 3. M.) a Birch  
 20. in? diam? bears N. 1. E. 15. lbs. dist. & a Sec.  
 11. " " " " S. 15. E. 10. " "

Set a Post in the N. Boundary of Sec. 2. T. N 2. N. R.  
 N 3. M. from which a Beech 16. in? diam? bears S. 62.  
 E. 14. lbs. dist. & an Elm 14. in? " " " " S. 41.  
 M. 3. " " ;

T. N. 2. N. R. N. 3. M. 2nd Mer. Ind.

Set a Post in the N. Boundary of Sec. 3. T. N. 2.  
N. R. N. 3. M. from which a Buck 12,  
ind. diam. bears N. 61. E. 33. lbs. dist. & a Do 12,  
" " " N. 67. W. 25. " "

Set a Post in the N. Boundary of Sec. 4. T. N. 2.  
N. R. N. 3. M. from which a Buck 10. ind. diam. bears  
S. 61. W. 18. lbs. dist. & a Do 12. " " "  
N. 69. E. 30. " "

Set a Post for the cor. to 1/4 Sec. in the N. Bound<sup>y</sup>  
of Sec. 5. T. N. 2. N. R. N. 3. M. from which a  
Buck — ind. diam. bears S. 4. W. 26. lbs. dist. & a  
M. Oak. 18. " " " N. 23. W. 37. " "

Set a Post in the N. Boundary of Sec. 6. T. N. 2. N.  
R. N. 3. M. from which a  
Buck 12. ind. diam. bears N. 72. E. 39. lbs. dist. & a  
M. Oak. 10. " " " West. 20. lbs. dist.

Surveyed by Levi Barber.

I certify that the foregoing transcript of the  
field notes of Township N. 2 North of Range  
N. 3 West of the 2<sup>nd</sup> Mer. Indians, Kasban  
Compared with the Original notes in this Office  
and found to be correct.

Surveyor General's Office,  
Cincinnati, Dec. 26. 1839

E. S. Peairs  
Sur. Gen.